		Į D
	Application No.	Applicant(s)
	10/626,289	KAMIYAMA ET AL
Notice of Allowability	Examiner	Art Unit
	Stephen J Kenny	3726
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to correspondence filed 1/26/04.		
2. Mathematical The allowed claim(s) is/are <u>1-11</u> .		
3. 🔯 The drawings filed on <u>24 July 2003</u> are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> </ul>		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 Notice of Informal B	atent Application (PTO-152)
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	6. ☐ Interview Summary	
	Paper No./Mail Dat	e
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	<u></u>	
4. Examiner's Comment Regarding Requirement for Deposit	<del>-</del>	ent of Reasons for Allowance
of Biological Material	9. 🗌 Other	

**Notice of Allowability** 

Application/Control Number: 10/626,289

Art Unit: 3726

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance: the method of repairing a pipeline comprising: forming a tubular assembly in a pipe, filling a grout material in a clearance between said tubular assembly and an inner wall of said pipe, disposing a tubular expansible and contractible pressure bag within the clearance, and filling the bag with a fluid to expand said bag, and supporting said tubular assembly by said expanded bag; in combination with the other limitations in the claims has not been disclosed in the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen J Kenny whose telephone number is 703-306-0359. The examiner can normally be reached on mon - fri 9am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter Vo can be reached on 703-308-1789. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/626,289

Art Unit: 3726

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

sk 5K

DAVID P. BRYANT PRIMARY EXAMINER Page 3